



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
http://www.cctestingslabs.com
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

BATCH RESULT: PASS

SAMPLE: CHEETAH PISS

CLIENT:


COMPLETED: APR 11, 2023

METRC SAMPLE: N/A / METRC BATCH: N/A



<p>BATCH NO.:</p> <p>MATRIX: FLOWER</p> <p>CATEGORY: INHALABLE</p> <p>SAMPLE ID:</p> <p>COLLECTED ON: APR 09, 2023</p> <p>RECEIVED ON: APR 09, 2023</p> <p>SAMPLE SIZE: 8 G</p>

CULTIVATOR



BATCH RESULT: PASS

MOISTURE
COMPLETE

POTENCY
COMPLETE

CANNABINOIDS BY HPLC: CCTL-PM-002 // APR 10, 2023

ANALYTE	LIMIT	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	0.1569/0.3139	N/A
CBD		0.221	2.21	0.1569/0.3139	N/A
CBDA		0.083	0.83	0.1569/0.3139	N/A
CBDV		ND	ND	0.1569/0.3139	N/A
CBG		0.096	0.96	0.1569/0.3139	N/A
CBGA		3.042	30.42	0.1569/0.3139	N/A
CBN		ND	ND	0.1569/0.3139	N/A

ANALYTE	LIMIT	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL
Δ ⁸ -THC		ND	ND	0.1569/0.3139	N/A
Δ ⁹ -THC		ND	ND	0.1569/0.3139	N/A
THCA		41.180	411.80	0.1569/0.3139	N/A
THCV		ND	ND	0.1569/0.3139	N/A
TOTAL THC**		36.115	361.15		N/A
TOTAL CBD**		0.294	2.94		N/A

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

DRY-WEIGHT AMOUNTS SHOWN

James W. Cox

James W. Cox
Laboratory Director
Apr 11, 2023

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.